Jiangsu Jinmeicheng Metal products Co., LTD
江苏金美诚金属制品有限公司

| Focus | Quality | Integrity|

公司简介Company Profile

Jiangsu Jinmeicheng Metal Products Company was established in 2018 and has been deeply involved in the industry of aluminum for 7 years. As a national high-tech manufacturer, we were engaged in processes of integrating product design, production, sales and maintenance. The current factory and office area is **more than 10000 square meters**,There are 600 tons、1000 tons、2000 tons of 4 advanced aluminum alloy extrusion production lines、2 drawing lines、5 advanced finned tube production lines、2 sets of CNC equipment.And providing large,small oxidation,post-processing and other services,can maximize the satisfaction of customers.We focus on aluminum products , and provide **customized solutions for transportation, aviation,furniture,building, chermical engineering,electronic,manufacture and electricity**. Our main products are including aluminum tubes, aluminum bars, irregular aluminum profiles,charging room, finned tube and other aluminum products. Our production process with well-equipped facilities and all-round quality control process,and our products are guaranteed by standard certificates of **NSF-ISR, ZTW, UDEM, ECM, for overseas sales**. More than **50 countries** of overseas markets are enjoying our aluminum profiles products. After **7 years development**, the company has built an excellent team of technical, sales, production, quality inspection and logistics, which ensure that we could provide professional and high-quality services from product design to project implementation. Our vision is to improve people's life with aluminum profiles. We look forward to cooperating with you.

证书 Cerficate

流水线铝型材 Assembly Line Aluminum Profile

4080

4040

8080

2020

4040

3060

JMC

流水线铝型材 Assembly Line Aluminum Profile



National Standard 1530T
Sandblasted Black

European standard 1640L thick
Sandblasted Black



National standard 1560T
sandblasted black

European standard 1640L thick
Natural color oxidation

European standard 2040N1-40 face seal slot
sandblasted black

4080

流水线铝型材 Assembly Line Aluminum Profile

流水线铝型材 Assembly Line Aluminum Profile

1、European Standard Series #40*40

Autodesk

4040 规格

型号	YX-4040A
规格	40X40
壁厚	
米重	1.058kg/m
实际	



型号	YX-4040 AT01
规格	40X40
壁厚	
米重	1.564kg/m
实际	



型号	YX-4040 AT06
规格	40X40
壁厚	
米重	1.548kg/m
实际	



型号	YX-4040 AT13
规格	40X40
壁厚	
米重	1.798kg/m
实际	



型号	YX-4040 AT37
规格	40X40
壁厚	
米重	1.475kg/m
实际	



型号	YX-4040 AT41
规格	40X40
壁厚	
米重	1.140kg/m
实际	



型号	YX-4040B
规格	40X40
壁厚	
米重	1.550kg/m
实际	



型号	YX-4040C
规格	40X40
壁厚	
米重	1.318kg/m
实际	



型号	YX-4040F
规格	40X40
壁厚	
米重	1.329kg/m
实际	



型号	YX-4040H
规格	40X40
壁厚	
米重	0.896kg/m
实际	



型号	YX-4040R
规格	40X40
壁厚	
米重	1.496kg/m
实际	



型号	YX-4040T
规格	40X40
壁厚	
米重	1.197kg/m
实际	



型号	YX-4040AN
规格	40X40
壁厚	
米重	1.125kg/m
实际	



型号	YX-4040AP
规格	40X40
壁厚	
米重	1.851kg/m
实际	



型号	YX-4040B1
规格	40X40
壁厚	
米重	1.562kg/m
实际	



2、European Standard Series #40*40

型号	YX-4040BJ
规格	40X40
壁厚	
米重	1.227kg/m
实际	



型号	YX-4040BK
规格	40X40
壁厚	
米重	1.785kg/m
实际	



型号	YX-4040BO
规格	40X40
壁厚	
米重	1.746kg/m
实际	



型号	YX-4040CL
规格	40X40
壁厚	
米重	1.545kg/m
实际	



型号	YX-4040CM
规格	40X40
壁厚	
米重	1.02kg/m
实际	



型号	YX-4040DH
规格	40X40
壁厚	
米重	1.546kg/m
实际	



型号	YX-4040DM
规格	40X40
壁厚	
米重	1.498kg/m
实际	



型号	YX-4040GF
规格	40X40
壁厚	
米重	1.843kg/m
实际	



型号	YX-4040D
规格	40X40
壁厚	
米重	1.872kg/m
实际	



型号	YX-4040L
规格	40X40
壁厚	
米重	1.232kg/m
实际	



型号	YX-4040DC
规格	40X40
壁厚	
米重	1.658kg/m
实际	



型号	YX-4040DE
规格	40X40
壁厚	
米重	1.658kg/m
实际	



型号	YX-4040AB
规格	40X40
壁厚	
米重	1.261kg/m
实际	



型号	YX-4040XA
规格	40X40
壁厚	
米重	1.192kg/m
实际	



	YX-4040XB
	40X40
	1.49kg/m



3、European Standard Series #40*40

型号	YX-4040XC
规格	40X40
壁厚	
米重	1.78kg/m
实际	



型号	YX-4040AC
规格	40X40
壁厚	
米重	1.592kg/m
实际	



型号	YX-4040M
规格	40X40
壁厚	
米重	1.915kg/m
实际	



型号	YX-4040 AT05
规格	40X40
壁厚	
米重	1.561kg/m
实际	



型号	YX-4040 AT42
规格	40X40
壁厚	
米重	1.405kg/m
实际	



型号	YX-4040 AT43
规格	40X40
壁厚	
米重	1.665kg/m
实际	



型号	YX-4040AE
规格	40X40
壁厚	
米重	1.289kg/m



型号	YX-4040AF
规格	40X40
壁厚	
米重	1.551kg/m



型号	YX-4040AG
规格	40X40
壁厚	
米重	1.3kg/m



型号	YX-4040AH
规格	40X40
壁厚	
米重	0.946kg/m



型号	YX-4040AI
规格	40X40
壁厚	
米重	1.219kg/m



型号	YX-4040AK
规格	40X40
壁厚	
米重	1.983kg/m



型号	YX-4040AL
规格	40X40
壁厚	
米重	1.631kg/m



型号	YX-4040RL
规格	40X40
壁厚	
米重	0.821kg/m



型号	YX-4040GB
规格	40X40
壁厚	
米重	1.86kg/m



4、European Standard Series #40*40

型号	YX-4040DA
规格	40X40
壁厚	
米重	1.1kg/m
实际	



型号	YX-4040CA
规格	40X40
壁厚	
米重	1.505kg/m
实际	



型号	YX-4040BD
规格	40X40
壁厚	
米重	1.611kg/m
实际	



型号	YX-4040GG
规格	40X40
壁厚	
米重	1.25kg/m
实际	



型号	YX-4040GA
规格	40X40
壁厚	
米重	1.145kg/m
实际	



型号	YX-4040GC
规格	40X40
壁厚	
米重	1.17kg/m
实际	



型号	YX-4040HD
规格	40X40
壁厚	
米重	1.698kg/m
实际	



型号	YX-4040HA
规格	40X40
壁厚	
米重	0.847kg/m
实际	



	YX-4040EG
	40X40
	1.65kg/m



型号	YX-4040CI
规格	40X40
壁厚	
米重	1.097kg/m
实际	



型号	YX-4040JY
规格	40X40
壁厚	
米重	1.52kg/m
实际	



型号	YX-4040SA
规格	40X40
壁厚	
米重	1.77kg/m
实际	



型号	YX-4040SC
规格	40X40
壁厚	
米重	1.38kg/m
实际	



型号	YX-4040AT36
规格	40X40
壁厚	
米重	0.995kg/m
实际	



型号	YX-4040JS
规格	40X40
壁厚	
米重	1.865kg/m
实际	



5、European Standard Series #40*40

型号	YX-4040CF
规格	40X40
壁厚	
米重	1.49kg/m



型号	YX-4040JA
规格	40X40
壁厚	
米重	2.35kg/m
实际	



型号	YX-4040HB
规格	40X40
壁厚	
米重	1.62kg/m
实际	



型号	YX-4040ZD
规格	40X40
壁厚	
米重	0.955kg/m



型号	YX-4040AT
规格	40X40
壁厚	
米重	1.1kg/m



型号	YX-4040 AT02
规格	40X40
壁厚	
米重	0.86kg/m



型号	YX-4040HG
规格	40X40
壁厚	
米重	1.58kg/m



型号	YX-4040 AT35
规格	40X40
壁厚	
米重	1.26kg/m



型号	YX-4040 CX
规格	40X40
壁厚	
米重	1.17kg/m



	YX-4040MA
	40X40
	1.18kg/m



	YX-4040ZA
	40X40
	1.94kg/m



	YX-4040 AT19
	40X40
	1.56kg/m



	YX-4040 AT03
	40X40
	1.316kg/m



	YX-4040 HR01
	40X40
	1.39kg/m



	YX-4040 HR02
	40X40
	1.4kg/m



6、European Standard Series #40*40

型号	YX-MZ004
规格	40X40
壁厚	
米重	1.25kg/m
实际	



型号	YX-MZ007
规格	40X40
壁厚	
米重	1.53kg/m
实际	



型号	YX-BYN019
规格	40X40
壁厚	
米重	2.2kg/m
实际	



型号	YX-BYN030
规格	40X40
壁厚	
米重	1.37kg/m
实际	



型号	YX-SHJL004
规格	40X40
壁厚	
米重	1.19kg/m
实际	

型号	YX-SHBX011
规格	40X40
壁厚	
米重	1.6kg/m
实际	



型号	YX-MZ001
规格	40X40
壁厚	
米重	1.73kg/m
实际	



型号	YX-SZZD 004
规格	40X40
壁厚	
米重	1.15kg/m
实际	



型号	YX-MZ40 40Y
规格	40X40
壁厚	
米重	1.85kg/m
实际	



型号	YX-4040 HR03
规格	40X40
壁厚	
米重	1.375kg/m
实际	



7、European Standard Series #40*80

型号	YX-4080JB
规格	40X80
壁厚	
米重	3.29kg/m



型号	YX-4080 Y18
规格	40X80
壁厚	
米重	2.74kg/m



型号	YX-MZ40 80Y
规格	40X80
壁厚	
米重	2.88kg/m



型号	YX-4080HR
规格	40X80
壁厚	
米重	2.41kg/m



型号	YX-4080 HG
规格	40X80
壁厚	
米重	2.68 kg/m



	YX-40120
	40X120
	3.928kg/m



型号	YX-40120D
规格	40X120
壁厚	
米重	4.071kg/m



型号	YX-JY013
规格	40X120
壁厚	
米重	5.73kg/m



	YX-40160
	40X160
	5.098kg/m



型号	YX-40160C
规格	40X160
壁厚	
米重	4.974kg/m
实际	



	YX-40200
	40X200
	6.268kg/m



8、European Standard Series #40*80

Autodesk

型号	YX-4080
规格	40X80
壁厚	
米重	2.962kg/m
实际	



型号	YX-4080AK
规格	40X80
壁厚	
米重	3.177kg/m
实际	



型号	YX-4080AQ
规格	40X80
壁厚	
米重	2.156kg/m
实际	



型号	YX-4080AT
规格	40X80
壁厚	
米重	3.149kg/m
实际	



型号	YX-4080AU
规格	40X80
壁厚	
米重	2.795kg/m
实际	



型号	YX-4080CB
规格	40X80
壁厚	
米重	2.597kg/m
实际	



型号	YX-4080CE
规格	40X80
壁厚	
米重	2.516kg/m
实际	



型号	YX-4080F
规格	40X80
壁厚	
米重	2.189kg/m
实际	



型号	YX-4080GB
规格	40X80
壁厚	
米重	2.130kg/m
实际	



型号	YX-4080GE
规格	40X80
壁厚	
米重	2.720kg/m
实际	



型号	YX-4080N
规格	40X80
壁厚	
米重	2.554kg/m
实际	



型号	YX-4080W
规格	40X80
壁厚	
米重	3.420kg/m
实际	



型号	YX-4080 Y06
规格	40X80
壁厚	
米重	2.323kg/m
实际	



型号	YX-4080 Y08
规格	40X80
壁厚	
米重	2.141kg/m
实际	



	YX-4080 Y16
	40X80
	2.187kg/m



9、European Standard Series #40*80

型号	YX-4080E
规格	40X80
壁厚	
米重	2.807kg/m



型号	YX-4080Y 01
规格	40X80
壁厚	
米重	3.289kg/m



型号	YX-4080L
规格	40X80
壁厚	
米重	2.237kg/m



型号	YX-4080C
规格	40X80
壁厚	
米重	2.251kg/m



型号	YX-4080XA
规格	40X80
壁厚	
米重	2.01kg/m



型号	YX-4080XB
规格	40X80
壁厚	
米重	2.67kg/m



型号	YX-4080XC
规格	40X80
壁厚	
米重	3.07kg/m



型号	YX-4080AB
规格	40X80
壁厚	
米重	2.765kg/m



型号	YX-4080AL
规格	40X80
壁厚	
米重	3.177kg/m



型号	YX-4080AD
规格	40X80
壁厚	
米重	2.821kg/m



型号	YX-4080AF
规格	40X80
壁厚	
米重	2.848kg/m



型号	YX-4080AE
规格	40X80
壁厚	
米重	4.58kg/m



型号	YX-4080 Y21
规格	40X80
壁厚	
米重	3.509kg/m



型号	YX-4080CD
规格	40X80
壁厚	
米重	3.998kg/m



型号	YX-4080Y 17
规格	40X80
壁厚	
米重	3.322kg/m



10、European Standard Series #40*80

型号	YX-4080GA
规格	40X80
壁厚	
米重	2.18kg/m
实际	



型号	YX-4080GC
规格	40X80
壁厚	
米重	1.98kg/m
实际	



型号	YX-4080AT 10
规格	40X80
壁厚	
米重	2.444kg/m
实际	



型号	YX-4080GD
规格	40X80
壁厚	
米重	2.01kg/m
实际	



型号	YX-4080BA
规格	40X80
壁厚	
米重	2.94kg/m
实际	



型号	YX-4080HD
规格	40X80
壁厚	
米重	2.815kg/m
实际	



型号	YX-4080XN
规格	40X80
壁厚	
米重	3.455kg/m



型号	YX-4080JA
规格	40X80
壁厚	
米重	4.16kg/m



型号	YX-BYN008
规格	40X80
壁厚	
米重	3.4kg/m



型号	YX-BYN031
规格	40X80
壁厚	
米重	2.73kg/m



型号	YX-SHJL005
规格	40X80
壁厚	
米重	2.13kg/m



型号	YX-MZ006
规格	40X80
壁厚	
米重	2.66kg/m



型号	YX-4080 AT01
规格	40X80
壁厚	
米重	2 kg/m



型号	YX-4080AT 02
规格	40X80
壁厚	
米重	2.87kg/m



型号	YX-4080 AS
规格	40X80
壁厚	
米重	1.93kg/m



11、European Standard Series #30*30

型号	YX-3030
规格	30X30
壁厚	
米重	0.888kg/m
实际	



型号	YX-3030A
规格	30X30
壁厚	
米重	0.856kg/m
实际	



型号	YX-3030B
规格	30X30
壁厚	
米重	0.937kg/m
实际	



型号	YX-3030C
规格	30X30
壁厚	
米重	0.789kg/m
实际	



型号	YX-3030G
规格	30X30
壁厚	
米重	0.896kg/m
实际	



型号	YX-3030K
规格	30X30
壁厚	
米重	0.999kg/m
实际	



型号	YX-3030S
规格	30X30
壁厚	
米重	0.844kg/m
实际	



型号	YX-3030AC
规格	30X30
壁厚	
米重	0.774kg/m
实际	



型号	YX-3030AD
规格	30X30
壁厚	
米重	0.869kg/m
实际	



型号	YX-3030AF
规格	30X30
壁厚	
米重	1.151kg/m
实际	



型号	YX-3030AK
规格	30X30
壁厚	
米重	0.827kg/m
实际	



型号	YX-3030BH
规格	30X30
壁厚	
米重	0.885kg/m
实际	



型号	YX-HM003
规格	30X30
壁厚	
米重	1.065kg/m
实际	



型号	YX-3030XA
规格	30X30
壁厚	
米重	0.871kg/m
实际	



型号	YX-3030AB
规格	30X30
壁厚	
米重	0.885kg/m
实际	



12、European Standard Series #15*15

Autodesk

1515 规格

型号	YX-1515
规格	15x15
壁厚	
米重	0.224kg/m
实际	



型号	YX-1530
规格	15x30
壁厚	
米重	0.669kg/m
实际	



型号	YX-1530B
规格	15x30
壁厚	
米重	0.622kg/m



型号	YX-1530C
规格	15x30
壁厚	
米重	0.617kg/m
实际	



型号	YX-1560A
规格	15x60
壁厚	
米重	1.331kg/m
实际	



型号	YX-1640
规格	16x40
壁厚	
米重	1.189kg/m
实际	



13、European Standard Series #20*20

型号	YX-2020
规格	20X20
壁厚	
米重	0.464kg/m
实际	



型号	YX-2020B
规格	20X20
壁厚	
米重	0.496kg/m
实际	



型号	YX-2020G
规格	20X20
壁厚	
米重	0.434kg/m



型号	YX-2020S
规格	20X20
壁厚	
米重	0.399kg/m
实际	



型号	YX-2020Z
规格	20X20
壁厚	
米重	0.465kg/m
实际	



	YX-2020AB
	20X20
	0.462kg/m



型号	
规格	
壁厚	
米重	
实际	

型号	YX-2020R
规格	20X20
壁厚	
米重	0.446kg/m
实际	



型号	YX-2020V
规格	20X20
壁厚	
米重	0.453kg/m
实际	



型号	YX-2020K
规格	20X20
壁厚	
米重	0.44kg/m
实际	



型号	
规格	
壁厚	
米重	
实际	

型号	
规格	
壁厚	
米重	
实际	

型号	YX-2035
规格	20X35
壁厚	
米重	0.64kg/m



型号	YX-2035A
规格	20X35
壁厚	
米重	0.81kg/m



14、European Standard Series #20*40

型号	YX-2040
规格	20X40
壁厚	
米重	0.811kg/m



型号	YX-2040A
规格	20X40
壁厚	
米重	1.255kg/m



型号	YX-2040B
规格	20X40
壁厚	
米重	1.218kg/m



型号	YX-2040C
规格	20X40
壁厚	
米重	0.727kg/m



型号	YX-2040X
规格	20X40
壁厚	
米重	0.892kg/m



	YX-2040L
	20X40
	1.127kg/m



型号	YX-2040V
规格	20X40
壁厚	
米重	0.78kg/m



型号	YX-2040AB
规格	20X40
壁厚	
米重	0.855kg/m



	YX-2040Y
	20X40
	1.243kg/m



型号	YX-2040BA
规格	20X40
壁厚	
米重	0.875kg/m



型号	YX-2040BC
规格	20X40
壁厚	
米重	1.12kg/m



	YX-2040AK
	20X40
	0.858kg/m



型号	YX-2040AT
规格	
壁厚	
米重	0.802kg/m
实际	



型号	YX-2040M
规格	
壁厚	
米重	1.138kg/m
实际	



型号	YX-2040BD
规格	
壁厚	
米重	0.827kg/m
实际	



15、European Standard Series #20*45

20*45 60 80 规格

型号	YX-2045
规格	20×45
壁厚	
米重	0.982kg/m
实际	



型号	YX-DYN012
规格	25*25
壁厚	
米重	0.658kg/m
实际	



型号	YX-2060
规格	20X60
壁厚	
米重	1.154kg/m
实际	



型号	YX-2060AD
规格	20X60
壁厚	
米重	1.165kg/m
实际	



型号	YX-2080
规格	20X80
壁厚	
米重	1.502kg/m
实际	



型号	YX-2080A
规格	20X80
壁厚	
米重	1.491kg/m
实际	



16、European Standard Series #30*30

型号	YX-3030AT
规格	30X30
壁厚	
米重	0.877kg/m
实际	



型号	YX-3030AS
规格	30X30
壁厚	
米重	0.843kg/m
实际	



型号	YX-3030AG
规格	30X30
壁厚	
米重	0.848kg/m
实际	



型号	YX-3030AE
规格	30X30
壁厚	
米重	0.96kg/m
实际	



型号	YX-3030R
规格	30X30
壁厚	
米重	0.887kg/m
实际	



型号	YX-3030J
规格	30X30
壁厚	
米重	0.943kg/m
实际	



型号	YX-3030BA
规格	30X30
壁厚	
米重	1.02kg/m
实际	



型号	YX-3030CH
规格	30X30
壁厚	
米重	0.544kg/m
实际	



	YX-3030L
	30X30
	0.818kg/m



型号	YX-3030QS
规格	30X30
壁厚	
米重	0.85kg/m
实际	



型号	YX-BYN029
规格	30X30
壁厚	
米重	0.77kg/m
实际	



型号	YX-3030HD
规格	30X30
壁厚	
米重	1.07kg/m
实际	



型号	YX-3030HG
规格	30X30
壁厚	
米重	0.98kg/m
实际	



	YX-3030CA
	30X30
	0.61kg/m



	YX-3030HR
	30X30
	0.8kg/m



型号	YX-3030 HR01
规格	30X30
壁厚	
米重	0.83kg/m
实际	



型号	YX-3030 HR02
规格	30X30
壁厚	
米重	0.859kg/m
实际	



17、European Standard Series #30*60

型号	YX-3060K
规格	30X60
壁厚	
米重	1.623kg/m
实际	



型号	YX-3060A
规格	30X60
壁厚	
米重	1.54kg/m
实际	



型号	YX-3060AL
规格	30X60
壁厚	
米重	1.595kg/m
实际	



型号	YX-3060XA
规格	30X60
壁厚	
米重	1.571kg/m
实际	



型号	YX-3060AB
规格	30X60
壁厚	
米重	1.723kg/m
实际	



型号	YX-3060AC
规格	30X60
壁厚	
米重	1.73kg/m
实际	



型号	YX-3060T
规格	30X60
壁厚	
米重	1.747kg/m
实际	



型号	YX-3060Q
规格	30X60
壁厚	
米重	1.536kg/m
实际	



型号	YX-3060E
规格	30X60
壁厚	
米重	1.698kg/m
实际	



型号	YX-3060R
规格	30X60
壁厚	
米重	1.88kg/m
实际	



型号	YX-3060AP
规格	30X60
壁厚	
米重	1.49kg/m
实际	



型号	YX-3060L
	30X60
	1.41kg/m



型号	YX-3060XN
规格	30X60
壁厚	
米重	2.29kg/m
实际	



型号	YX-3060B
规格	30X60
壁厚	
米重	1.52kg/m
实际	



型号	YX-3060HG
	30X60
	1.6kg/m



18、European Standard Series #30*60

型号	YX-3060AK
规格	30X60
壁厚	
米重	1.275kg/m
实际	



型号	YX-3060BA
规格	30X60
壁厚	
米重	1.555kg/m
实际	



型号	YX-3060HR
规格	30X60
壁厚	
米重	1.46kg/m
实际	



	YX-3060HR01
	30X60
	1.435kg/m



	YX-3060CB
	30X60
	1.47kg/m



型号	YX-3090
规格	30X90
壁厚	
米重	2.298kg/m
实际	



型号	YX-3090BY01
规格	30X90
壁厚	
米重	2.327kg/m
实际	



型号	YX-3535A
规格	35*35
壁厚	
米重	1.355kg/m
实际	



30150 规格

型号	YX-30150C
规格	30150
壁厚	
米重	7.458kg/m
实际	



型号	YX-30150E
规格	30150
壁厚	
米重	3.412kg/m
实际	



19、European Standard Series # 45*45

4545 规格

Autodesk

型号	YX-4545
规格	45X45
壁厚	
米重	1.778kg/m
实际	



型号	YX-4545R
规格	45X45
壁厚	
米重	1.719kg/m
实际	



型号	YX-4545AE
规格	45X45
壁厚	
米重	1.655kg/m
实际	



型号	YX-4545P
规格	45X45
壁厚	
米重	2.070kg/m
实际	



型号	YX-4545W
规格	45X45
壁厚	
米重	1.739kg/m
实际	



型号	YX-4545X
规格	45X45
壁厚	
米重	1.449kg/m
实际	



型号	YX-4545Y
规格	45X45
壁厚	
米重	2.249kg/m
实际	



型号	YX-4545L
规格	45X45
壁厚	
米重	1.524kg/m
实际	



型号	YX-4545A
规格	45X45
壁厚	
米重	1.39kg/m
实际	



型号	YX-4545LB
规格	45X45
壁厚	
米重	1.38kg/m
实际	



20、European Standard Series # 45*90

型号	YX-4590W
规格	45X90
壁厚	
米重	3.957kg/m
实际	



型号	YX-4590X
规格	45X90
壁厚	
米重	3.446kg/m
实际	



型号	YX-4590B
规格	45X90
壁厚	
米重	2.932kg/m
实际	



型号	YX-4590
规格	45X90
壁厚	
米重	3.551kg/m
实际	



型号	YX-4590Y
规格	45X90
壁厚	
米重	3.757kg/m
实际	



21、European Standard Series # 50*50

型号	YX-5050
规格	50X50
壁厚	
米重	2.573kg/m
实际	



型号	YX-5050A
规格	50X50
壁厚	
米重	2.066kg/m
实际	



型号	YX-5050AB
规格	50X50
壁厚	
米重	2.758kg/m
实际	



型号	YX-5050AC
规格	50X50
壁厚	
米重	2.849kg/m
实际	



型号	YX-5050AH
规格	50X50
壁厚	
米重	2.062kg/m
实际	



型号	YX-5050K
规格	50X50
壁厚	
米重	2.24kg/m
实际	



型号	YX-5050W
规格	50X50
壁厚	
米重	2.978kg/m
实际	



型号	YX-5050Z
规格	50X50
壁厚	
米重	2.327kg/m
实际	



型号	YX-5050AD
规格	50X50
壁厚	
米重	2.48kg/m
实际	



型号	YX-5050HD
规格	50X50
壁厚	
米重	3.02kg/m
实际	



	YX-5025HD
	50X25
	1.22kg/m



型号	YX-SHBX010
规格	50X25
壁厚	
米重	1.18kg/m



22、European Standard Series #60*60

型号	YX-GN6060A
规格	60X60
壁厚	
米重	2.632kg/m
实际	



型号	YX-6060AB
规格	60X60
壁厚	
米重	3.466kg/m
实际	



型号	YX-6060AC
规格	60X60
壁厚	
米重	2.773kg/m
实际	



型号	YX-6060J
规格	60X60
壁厚	
米重	2.410kg/m
实际	



型号	YX-6060
规格	60X60
壁厚	
米重	2.566kg/m
实际	



型号	YX-6060W
规格	60X60
壁厚	
米重	3.712kg/m
实际	



型号	YX-6060R
规格	60X60
壁厚	
米重	2.187kg/m
实际	



型号	YX-6060Z
规格	60X60
壁厚	
米重	2.384kg/m
实际	



型号	YX-6060E
规格	60X60
壁厚	
米重	2.35kg/m
实际	



型号	YX-6060L
规格	60X60
壁厚	
米重	2.17kg/m
实际	



型号	YX-6060HD
规格	60X60
壁厚	
米重	1.82kg/m
实际	



型号	YX-6060HC
规格	60X60
壁厚	
米重	2.5kg/m
实际	



型号	YX-6060HA
规格	60X60
壁厚	
米重	1.96kg/m
实际	



90-120 规格

型号	YX-6090E
规格	60X90
壁厚	
米重	3.443kg/m
实际	



型号	YX-60120B
规格	60X120
壁厚	
米重	5.643kg/m
实际	



23、European Standard Series #80*80

型号	YX-8080A
规格	80X80
壁厚	
米重	4.275kg/m
实际	



型号	YX-8080AB
规格	80X80
壁厚	
米重	4.681kg/m
实际	



型号	YX-8080AV
规格	80X80
壁厚	
米重	4.305kg/m
实际	



型号	YX-8080AF
规格	80X80
壁厚	
米重	5.16kg/m
实际	



型号	YX-8080AP
规格	80X80
壁厚	
米重	4.782kg/m
实际	



型号	YX-8080B
规格	80X80
壁厚	
米重	4.681kg/m
实际	



型号	YX-8080H
规格	80X80
壁厚	
米重	7.095kg/m
实际	



型号	YX-8080XA
规格	80X80
壁厚	
米重	3.434kg/m
实际	



型号	YX-8080XB
规格	80X80
壁厚	
米重	4.728kg/m
实际	



型号	YX-8080XC
规格	80X80
壁厚	
米重	3.93kg/m
实际	



型号	YX-8080XN
规格	80X80
壁厚	
米重	3.437kg/m
实际	



型号	YX-8080G
规格	80X80
壁厚	
米重	3.815kg/m
实际	



型号	YX-8080L
规格	80X80
壁厚	
米重	3.678kg/m
实际	



型号	YX-8080Y
规格	80X80
壁厚	
米重	4.522kg/m
实际	



型号	YX-8080BC
规格	80X80
壁厚	
米重	6.51kg/m
实际	



24、European Standard Series #80*80

型号	YX-8080C
规格	80X80
壁厚	
米重	4.734kg/m
实际	



型号	YX-8080AC
规格	80X80
壁厚	
米重	4.86kg/m
实际	



型号	YX-8080F
规格	80X80
壁厚	
米重	5.6kg/m
实际	



型号	YX-8080WB
规格	80X80
壁厚	
米重	6.38kg/m
实际	



型号	YX-BYN028
规格	80X80
壁厚	
米重	4.07kg/m
实际	



	YX-MZ005
	80X80
	4.57kg/m



型号	YX-8080ZD
规格	80X80
壁厚	
米重	2.86kg/m
实际	



	YX-8080HG
	80X80
	4.2kg/m



型号	YX-80120F
规格	80X120
壁厚	
米重	6.432kg/m
实际	



型号	YX-JY009
规格	80X160
壁厚	
米重	11.56kg/m
实际	



型号	YX-80160A
规格	80X160
壁厚	
米重	7.64kg/m
实际	



25、European Standard Series #50*100

型号	YX-50100
规格	50X100
壁厚	
米重	4.02kg/m
实际	



型号	YX-50100A
规格	50X100
壁厚	
米重	3.67kg/m
实际	



型号	YX-50100B
规格	50X100
壁厚	
米重	5.323kg/m
实际	



型号	YX-50100C
规格	50X100
壁厚	
米重	4.106kg/m
实际	



型号	YX-50100D
规格	50X100
壁厚	
米重	4.128kg/m
实际	



型号	YX-50100K
规格	50X100
壁厚	
米重	3.773kg/m
实际	



型号	YX-50100JT
规格	50X100
壁厚	
米重	3.72kg/m
实际	



26、European Standard Series #90*90

型号	YX-9090H
规格	90X90
壁厚	
米重	5.403kg/m
实际	



型号	YX-9090E
规格	90X90
壁厚	
米重	6.221kg/m
实际	



型号	YX-HD005
规格	90X90
壁厚	
米重	8.12kg/m
实际	



型号	YX-100 100B
规格	
米重	10 kg/m
实际	



Looking Forward Cooperation

Dear Customer:

If you have any needs for aluminum products, you are welcome to call us and visit the factory. Our company integrates industry and trade, sells directly from the factory, supports customization, adheres to the principle of strictly selecting materials and operating with integrity, and sincerely serves you. We firmly believe in "win with integrity" and all products are traceable to the original manufacturer's certificate to ensure high quality and transparency. Our goal is to provide competitive aluminum products to customers around the world. Look forward to working with you!

Contact information:

Zhanglu:15962388698
Website:www.alugreat.com
Email:service@alugreat.com
Address:No.111, Shanzheng Road, Jingang Street, Zhangjiagang City, Suzhou City, Jiangsu Province, China